## Orthopedic Associates of Hartford, P.C.

#### J. Kristopher Ware, M.D

31 Seymour St #100 <u>Date of Surgery</u>:

Hartford, CT 06106

Phone: 860-244-1017, Fax: 860-524-8965

www.oahct.com\_

### **Post-Operative Rehabilitation Protocol:**

### Pectoralis Major Rupture

### PHASE I - IMMEDIATE POST-SURGICAL PHASE (DAYS 1 - 14)

#### Goals:

- 1. Maintain integrity of the repair
- 2. Gradually increase passive range of motion(PROM)
- 3. Diminish pain and inflammation
- 4. Prevent muscular inhibition

### Days 1 – 14

- -Sling
- -Pendulum exercises 4x daily (flexion, circles)
- -Elbow/hand gripping & ROM exercises
- -Cryotherapy/Ice for pain and inflammation 15-20 minutes every hour
- -Sleeping sleep in sling or brace

### Precautions to be maintained through Week 6:

- 1. Maintain arm in brace, remove only for exercise
- 2. No lifting of objects
- 3. No shoulder abduction, forward elevation or external rotation
- 4. No excessive or aggressive stretching or sudden movements
- 5. No supporting of body weight by hands
- 6. No bimanual activities (pulling on pants/socks, etc.)

## PHASE II - PROTECTION PHASE (WEEKS 3 - 6)

#### Goals:

- 1. Allow healing of soft tissue
- 2. Do not overstress healing tissue
- 3. Decrease pain & inflammation
- 4. To increase PROM

#### Weeks 3 - 6

- -Continue sling through Week 4(through Week 6 if repaired under tension)
- -Continue pendulum exercises
- -Continue use of cryotherapy/ice as needed if still swollen
- -Begin physical therapy(PT)
- -PROM forward elevation to 1300 with arm in adduction

# Orthopedic Associates of Hartford, P.C.

#### J. Kristopher Ware, M.D

31 Seymour St #100 <u>Date of Surgery</u>:

Hartford, CT 06106

Phone: 860-244-1017, Fax: 860-524-8965

www.oahct.com

### **Post-Operative Rehabilitation Protocol:**

#### **Pectoralis Major Rupture**

-AAROM focused on flexion- pulleys, table slides

## PHASE III - INTERMEDIATE PHASE (WEEKS 7 - 12)

#### Goals:

- 1. Attain full ROM
- 2. Normal scapulo-humeral rhythm

#### Weeks 7 - 12

- -Continue PROM/ AAROM
- -Work on scapulo-humeral rhythm, peri-scapular strengthening program(no pushups plus)
- -May use arm for light activities of daily living(ADL's)
- -May begin gentle active ROM(AROM)
- -Isometric exercises (avoid shoulder adduction, internal rotation and horizontal adduction)

#### PHASE IV - ADVANCED STRENGTHENING PHASE (WEEKS 13 - 23)

#### Goals:

- 1. Maintain full non-painful ROM
- 2. Enhance functional use of upper extremity
- 3. Improve muscular strengthen & power
- 4. Gradual return to functional activities

#### Weeks 13 - 23

- -Continue ROM & stretching to maintain full ROM
- -Pectoralis Major strengthening is begun
- Single arm pulleys and bands
  - Horizontal adduction
  - Internal rotation
  - Forward elevation
  - Shoulder adduction
- -Rotator cuff(RTC) strengthening
- -Continue peri-scapular strengthening(may begin push-ups plus against wall)

# Orthopedic Associates of Hartford, P.C.

### J. Kristopher Ware, M.D

31 Seymour St #100 <u>Date of Surgery</u>:

Hartford, CT 06106

Phone: 860-244-1017, Fax: 860-524-8965

www.oahct.com\_

# **Post-Operative Rehabilitation Protocol:**

### **Pectoralis Major Rupture**

## PHASE V - RETURN TO ACTIVITY PHASE (WEEKS 24+)

#### Goals:

- 1. Gradual return to strenuous work activities
- 2. Gradual return to recreational and competitive sport activities

### Weeks 24 - 35

- -Continue stretching, if motion is tight
- -Begin floor push-ups
- -Dumbbell bench presses with light weight and high repetition

#### Week 36

-Full activities if full ROM, no pain, and normal clinical exam